



## EG – Konformitätserklärung

### *EC Declaration of Conformity*

Diese EG-Konformitätserklärung gilt für das unten beschriebene Produkt und beschreibt die Übereinstimmung mit den nachfolgenden Richtlinien:

*This EC Declaration of Conformity applies to the product described below and describes the conformity with the following guidelines:*

- 2009/125/EC Richtlinie für die Festlegung von Anforderungen an die umweltgerechte Gestaltung energieverbrauchsrelevanter Produkte (Ökodesign)  
Hierbei relevante Verordnung: (EU) 2015/1185  
*2009/125/EC Guideline for the definition of requirements for the environmentally compatible design of energy-related products (Ecodesign)*  
*Relevant regulation: (EU) 2015/1185*

## Produkte:

### *Products:*

Sento	Sento RLU
Linear Module XS 4,0 kW	Linear Module XS 4,6 kW
Linear Module M	
ambiente a7	ambiente a8
Lungo 2L	Lungo 2R
Piko S steel	
Piko S	Piko S RLU
Piko L	Piko L RLU
Piko Frame	Piko Frame RLU

Cubo S	Cubo S RLU
Cubo L	Cubo L RLU
Cubo L style	Cubo L style RLU
Trico S 6,0 kW 1.0	Trico S 6,0 kW mit S-Thermatik 1.0
Trico S RLU 6,0 kW 1.0	
Trico L 6,0 kW 1.0	Trico L 6,0 kW mit S-Thermatik 1.0
Trico L RLU 6,0 kW 1.0	
Trico S steel 6,0 kW 1.0	Trico S steel 6,0 kW T 1.0
Trico S steel RLU 6,0 kW 1.0	
Trico L steel 6,0 kW 1.0	Trico L steel 6,0 kW T 1.0
Trico L steel RLU 6,0 kW 1.0	
Senso S	
Senso L 7,0 kW	Senso L RLU 7,0 kW
Senso L 5,9 kW 5.0	Senso L 6,0 kW mit S-Thermatik 5.0
Senso L RLU 5,9 kW 5.0	
Senso L klassik 7,0 kW	Senso L klassik RLU 7,0 kW
Senso L klassik 5,9 kW 2.0	Senso L klassik 6,0 kW mit S-Thermatik 2.0
Senso L klassik RLU 5,9 kW 2.0	
Senso L fashion 7,0 kW	Senso L fashion RLU 7,0 kW
Senso L fashion 5,9 kW 2.0	Senso L fashion 6,0 kW mit S-Thermatik 2.0
Senso L fashion RLU 5,9 kW 2.0	
Sino L 7,0 kW	
Sino L 5,9 kW 3.0	Sino L 6,0 kW mit S-Thermatik 3.0
Sino L RLU 5,9 kW 3.0	
Sino City 5,0 kW	Sino City RLU 5,0 kW
Sino City 10,0 kW	
Sino City 5,9 kW 2.0	Sino City 6,0 kW mit S-Thermatik 2.0
Sino City RLU 5,9 kW 2.0	
Moro 5,0 kW	Moro RLU
Moro 12,0 kW	
ambiente a3	ambiente a3 RLU
ambiente a4	ambiente a4 RLU
Passo XS 5,9 kW	Passo XS mit S-Thermatik 5,9 kW
Passo XS RLU 5,9 kW	
Passo XS style 5,9 kW	Passo XS style mit S-Thermatik 5,9 kW
Passo XS style RLU 5,9 kW	
Passo XS tripod 5,9 kW	
Passo S 6,1 kW	Passo S RLU

Passo S 10,0 kW	
Passo L 6,1 kW	Passo L RLU
Passo L 10,0 kW	
ambiente a9	ambiente a9 mit S-Thermetik
SEO S	SEO S RLU
SEO S leva	SEO S leva RLU
SEO L	SEO L RLU
SEO L leva	SEO L leva RLU
Saphir 7,5 kW 1.0	Saphir 7,2 kW T 1.0
Saphir RLU 7,5 kW 1.0	
Poseidon	
Apollon 2L	Apollon 2R
Ares	Ares mit S-Thermetik
Artemis	Artemis mit S-Thermetik
SIM Mini Sh 7,0 kW	SIM Arte U-50h 9,3 kW
SIM Arte U-70h 11,4 kW	SIM Arte 3RL-60h 10,0 kW

## Hersteller:

*Producer:*

Spartherm Feuerungstechnik GmbH  
Maschweg 38  
49324 Melle

Melle, 01.10.2024

---



Ort, Datum, Unterschrift

*Place, date, signature*